

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	62375	(generat\$4 creat\$4 compos\$4) near5 (message\$1 packet \$1 datagram\$1)	USPAT; IBM_TDB	OR	ON	2008/09/06 16:20
L2	13747	1 near8 (node\$1 workstation\$1 client \$1 user\$1 laptop pda handheld cellular)	USPAT; IBM_TDB	OR	ON	2008/09/06 16:21
L3	3607	(generat\$4 creat\$4 compos\$4) near5 (message\$1 packet \$1 datagram\$1) near5 input\$3	USPAT; IBM_TDB	OR	ON	2008/09/06 16:21
L4	1153	2 and 3	USPAT; IBM_TDB	OR	ON	2008/09/06 16:21
L5	60818	(predetermin\$6 predefin\$4 prestor \$4 pre-stor\$4 pre-determin\$7 stor\$4 preknown\$1) near5 (message\$1 packet \$1 datagram\$1)	USPAT; IBM_TDB	OR	ON	2008/09/06 16:22
L6	844	4 and 5	USPAT; IBM_TDB	OR	ON	2008/09/06 16:23
L7	29	6 and kernel	USPAT; IBM_TDB	OR	ON	2008/09/06 16:23
L8	1437	(predetermin\$6 predefin\$4 prestor \$4 pre-stor\$4 pre-determin\$7 stor\$4 preknown\$1 accord \$4 associat\$4) near5 (crypto\$9 encipher\$9 encrypt \$6 cipher\$8) near5 (message\$1 packet \$1 datagram\$1)	USPAT; IBM_TDB	OR	ON	2008/09/06 16:31

L9	1871	(predetermin\$6 predefin\$4 prestor \$4 pre-stor\$4 pre- determin\$7 stor\$4 preknown\$1 accord \$4 associat\$4) near5 (algorithm crypto\$9 encipher \$9 encrypt\$6 cipher \$8) near5 (message \$1 packet\$1 datagram\$1)	USPAT; IBM_TDB	OR	ON	2008/09/06 16:33
L10	17452	(generat\$4 creat\$4 compos\$4) near5 (message\$1 packet \$1 datagram\$1) near8 (input\$3 enter \$4 user\$1 client\$1 node\$1 workstation \$1 client\$1 user\$1 laptop pda handheld cellular)	USPAT; IBM_TDB	OR	ON	2008/09/06 16:34
L11	470	9 and 10	USPAT; IBM_TDB	OR	ON	2008/09/06 16:34
L12	4199	(requir\$7 need\$3 necessary must) near5 (algorithm crypto\$9 encipher \$9 encrypt\$6 cipher \$8) near5 (enter\$ input\$3 client\$1 user\$1 laptop pda handheld cellular)	USPAT; IBM_TDB	OR	ON	2008/09/06 16:36
L13	4185	(requir\$7 need\$3 necessary must) near5 (algorithm crypto\$9 encipher \$9 encrypt\$6 cipher \$8) near5 (enter\$4 input\$3 client\$1 user\$1 laptop pda handheld cellular)	USPAT; IBM_TDB	OR	ON	2008/09/06 16:36
L14	114	11 and 12	USPAT; IBM_TDB	OR	ON	2008/09/06 16:36
L15	3	14 and kernel	USPAT; IBM_TDB	OR	ON	2008/09/06 16:37

L16	465	3 and ((algorithm crypto\$9 encipher \$9 encrypt\$6 cipher \$8) near5 (enter\$4 input\$3 client\$1 user\$1 laptop pda handheld cellular))	USPAT; IBM_TDB	OR	ON	2008/09/06 16:39
L17	12	16 and kernel	USPAT; IBM_TDB	OR	ON	2008/09/06 16:39
L18	713	(generat\$4 creat\$4 compos\$4) near5 (message\$1 packet \$1 datagram\$1) near5 (predetermin \$6 predefin\$4 prestor\$4 pre-stor \$4 pre-determin\$7 stor\$4 preknown\$1 accord\$4 associat \$4 base\$1) near5 (input\$3 enter\$3)	USPAT; IBM_TDB	OR	ON	2008/09/06 16:53
L19	15566	(algorithm crypto\$9 encipher\$9 encrypt \$6 cipher\$8) near5 (message\$1 packet \$1 datagram\$1)	USPAT; IBM_TDB	OR	ON	2008/09/06 17:03
L20	2865	(algorithm crypto\$9 encipher\$9 encrypt \$6 cipher\$8) near5 (predetermin\$6 predefin\$4 prestor \$4 pre-stor\$4 pre-determin\$7 stor\$4 preknown\$1 accord \$4 associat\$4 base \$1) near5 (message \$1 packet\$1 datagram\$1)	USPAT; IBM_TDB	OR	ON	2008/09/06 17:03
L21	34	18 and 20	USPAT; IBM_TDB	OR	ON	2008/09/06 17:04
L22	814	(generat\$4 creat\$4 compos\$4) near5 (message\$1 packet \$1 datagram\$1) near5 (user\$1 client \$1 pda laptop) near5 (input\$3 enter \$3)	USPAT; IBM_TDB	OR	ON	2008/09/06 17:04

L23	9	21 and 22	USPAT; IBM_TDB	OR	ON	2008/09/06 17:05
L24	116	22 and ((algorithm crypto\$9 encipher \$9 encrypt\$6 cipher \$8) near5 (enter\$4 input\$3 client\$1 user\$1 laptop pda handheld cellular))	USPAT; IBM_TDB	OR	ON	2008/09/06 17:09
L25	1564	(generat\$4 creat\$4 compos\$4) near5 (message\$1 packet \$1 datagram\$1) near5 (user\$1 client \$1 pda laptop) and ((algorithm crypto \$9 encipher\$9 encrypt\$6 cipher \$8) near5 (enter\$4 input\$3 client\$1 user\$1 laptop pda handheld cellular))	USPAT; IBM_TDB	OR	ON	2008/09/06 17:10
L26	1564	((generat\$4 creat \$4 compos\$4) near5 (message\$1 packet\$1 datagram \$1) near5 (user\$1 client\$1 pda laptop)) and ((algorithm crypto \$9 encipher\$9 encrypt\$6 cipher \$8) near5 (enter\$4 input\$3 client\$1 user\$1 laptop pda handheld cellular))	USPAT; IBM_TDB	OR	ON	2008/09/06 17:11
L27	1359	((generat\$4 creat \$4 compos\$4) near5 (message\$1) near5 (user\$1 client \$1 pda laptop)) and ((algorithm crypto \$9 encipher\$9 encrypt\$6 cipher \$8) near5 (enter\$4 input\$3 client\$1 user\$1 laptop pda handheld cellular))	USPAT; IBM_TDB	OR	ON	2008/09/06 17:11

L28	1341	((generat\$4 creat \$4 compos\$4) near5 (message\$1) near5 (user\$1 client \$1 pda laptop)) and ((algorithm crypto \$9 encipher\$9 encrypt\$6 cipher \$8) near5 (input\$3 client\$1 user\$1 laptop pda handheld cellular))	USPAT; IBM_TDB	OR	ON	2008/09/06 17:12
L29	780	28 and 5	USPAT; IBM_TDB	OR	ON	2008/09/06 17:13
L30	780	28 and ((predetermin\$6 predefin\$4 prestor \$4 pre-stor\$4 pre- determin\$7 stor\$4 preknown\$1) near5 (message\$1 packet \$1 datagram\$1))	USPAT; IBM_TDB	OR	ON	2008/09/06 17:13
L31	739	28 and ((predetermin\$6 predefin\$4 prestor \$4 pre-stor\$4 pre- determin\$7 stor\$4 preknown\$1) near5 (message\$1))	USPAT; IBM_TDB	OR	ON	2008/09/06 17:13
L32	84	28 and ((predefin \$4) near5 (message\$1))	USPAT; IBM_TDB	OR	ON	2008/09/06 17:13
L33	67366	((execut\$4 run\$4 launch\$4) near5 (client\$1 user\$1 laptop pda handheld cellular))	USPAT; IBM_TDB	OR	ON	2008/09/06 17:14
L34	34017	((execut\$4 run\$4 launch\$4) near5 (application\$1 software\$1 program \$3 email\$3) near5 (client\$1 user\$1 laptop pda handheld cellular))	USPAT; IBM_TDB	OR	ON	2008/09/06 17:15
L35	39	32 and 34	USPAT; IBM_TDB	OR	ON	2008/09/06 17:15

L37	109	((generat\$4 creat \$4 compos\$4) near5 (message\$1) near5 (within in internal\$2) near5 (user\$1 client\$1 pda laptop)) and ((algorithm crypto \$9 encipher\$9 encrypt\$6 cipher \$8) near5 (enter\$4 input\$3 client\$1 user\$1 laptop pda handheld cellular))	USPAT; IBM_TDB	OR	ON	2008/09/06 17:23
L38	27	((generat\$4 creat \$4 compos\$4) near5 (message\$1) near5 (within in internal\$2) near5 (user\$1 client\$1 pda laptop node\$1 workstation\$1 computer\$1)) and ((algorithm crypto \$9 encipher\$9 encrypt\$6 cipher \$8) near5 (within in internal\$2) near5 (client\$1 user\$1 laptop pda handheld cellular))	USPAT; IBM_TDB	OR	ON	2008/09/06 17:24
L39	1	((generat\$4 creat \$4 compos\$4) near5 (message\$1) near5 (within in internal\$2) near5 (pda laptop node\$1 workstation\$1 computer\$1)) and ((algorithm crypto \$9 encipher\$9 encrypt\$6 cipher \$8) near5 (within in internal\$2) near5 (client\$1 user\$1 laptop pda handheld cellular))	USPAT; IBM_TDB	OR	ON	2008/09/06 17:35

L40	471	((generat\$4 creat \$4 compos\$4) near5 (message\$1) near5 (within in internal\$2) near5 (pda laptop node\$1 workstation\$1 computer\$1))	USPAT; IBM_TDB	OR	ON	2008/09/06 17:37
L41	1703	((algorithm crypto \$9 encipher\$9 encrypt\$6 cipher \$8) near5 (within in internal\$2) near5 (client\$1 user\$1 laptop pda handheld cellular))	USPAT; IBM_TDB	OR	ON	2008/09/06 17:37
L42	4256	40 adn 41	USPAT; IBM_TDB	OR	ON	2008/09/06 17:37
L43	1	40 and 41	USPAT; IBM_TDB	OR	ON	2008/09/06 17:38

9/ 6/ 08 5:38:31 PM

C:\ Documents and Settings\ LHa\ My Documents\ EAST\ Workspaces\ 10828078.wsp